IN THE CLAIMS:

Please amend the claims as follows:

- 1. (currently amended) Method A method for automatically adapting the contents of a mobile homepage of a mobile telephone device in accordance with context related information of said device, comprising
- automatically determining context related information of said mobile telephone device, and
- automatically adapting said mobile homepage in accordance with said determined context related information.
- 2. (currently amended) Method The method according to claim 1, further comprising evaluating said determined context related information and adapting said homepage in accordance with a result of said evaluation operation.
- 3. (currently amended) Method The method according to claim 1 [[or 2]], further comprising dispatching a communication request.
- 4. (currently amended) Method The method according to claim 1, [[2 or 3,]] further comprising receiving a communication request.
- 5. (currently amended) Method The method according to claim 3 [[or 4]], wherein said communication request is a multimedia call.
- 6. (currently amended) Method The method according to anyone of the preceding claims claim 1, wherein said context related information comprises communication properties.
- 7. (currently amended) Method The method according to anyone of the preceding claims claim 1, further comprising transmitting of said generated mobile homepage.
- 8. (currently amended) Method The method according to anyone of the preceding claims claim 1, further comprising receiving an identification of the originator of a communication attempt.

- 9. (currently amended) Method The method according to claim 6, wherein said communication properties comprise information about a communication connection of said mobile telephone device such as signal strength, location bandwidth or data rate.
- 10. (currently amended) Method The method according to claim 6, wherein said communication properties comprise information according to a communicative state of said mobile telephone device.
- 11. (currently amended) Method The method according to anyone of the preceding claims claim 1, comprising
- downloading the contents of a mobile homepage of said mobile telephone device,
- storing said downloaded mobile homepage on a server, said server containing a homepage, thereby automatically updating said homepage on said server according to said mobile homepage of said mobile telephone device.
- 12. (currently amended) Method The method according to claim [[13]] 11, wherein said downloading is initiated when it is detected that the attainability of the mobile telephone is expected to be reduced.
- 13. (currently amended) Method The method according to anyone of the preceding claims claim 1, comprising
- receiving a communication request for a connection to said mobile device,
- detecting if said mobile device is connectable, and
- in case said mobile device is not connectable, rerouting said communication request to a homepage downloaded from said mobile telephone device said communication request has been directed to.
- 14. (currently amended) Method The method according to anyone of the preceding claims claim 1, wherein said homepage is an HTML or XHTML homepage.
- 15. (currently amended) Method The method according to anyone of the preceding claims claim 1, wherein said homepage is a WML homepage.

- 16. (currently amended) Software A software tool comprising program code means for carrying out the steps of anyone of claims 1 to 15 claim 1 when said program is run on a network device or a mobile telephone device.
- 17. (currently amended) Computer A computer program comprising program code means for carrying out the method of anyone of claims 1 to 15 claim 1 when said program is run on a computer or network device.
- 18. (currently amended) Computer A computer program product comprising program code means stored on a computer readable medium for carrying out the method of anyone of claims 1 to 15 claim 1 when said program is run on a network device or a mobile telephone device.
- 19. (currently amended) Mobile A mobile telephone device, comprising:

 a server that provides a server functionality to said mobile telephone device,
 a storage for storing at least one homepage on said mobile telephone device,
 characterized by
 a processor configured to determine context related information of said mobile telephone
 device and to adapt said homepage according to said determined context related
- 20. (currently amended) Mobile The mobile telephone device according to claim 19, further comprising at least one component for evaluating said context related information.

information.

- 21. (currently amended) Mobile The mobile telephone device according to claim 19 [[or 20]], further comprising
- a processor configured to connect said mobile telephone to a server, and configured to transfer the contents of a mobile homepage of said mobile telephone device to said server.
- 22. (currently amended) Mobile The mobile telephone device according to claim 21, further comprising a processor configured to detect an attainability status of said mobile telephone device and to initiate said transfer of the mobile homepage contents, in case a decreased attainability status is detected.

- 23. (currently amended) Network A network server connectable to a mobile telephone device, comprising:
 - a storage for storing at least one homepage,
 - characterized by
 - a processor configured for downloading a mobile homepage from said mobile telephone device, and
 - a storage being connected to said processor for storing said downloaded homepage.
- 24. (currently amended) Network The network server according to claim 23, further comprising a processor configured to detect an attainability status of said mobile telephone device, and being configured to initiate said download of the mobile homepage, in case a decreased attainability status of said mobile telephone is detected.